

# UnidentifiedImageError at /property/pdf-es/7012

cannot identify image file <\_io.BytesIO object at 0x7f311a4b20e0>

**Request Method:** GET

**Request URL:** http://167.235.8.59:8010/property/pdf-es/7012

**Django Version:** 4.2.5

**Exception Type:** UnidentifiedImageError

**Exception Value:** cannot identify image file <\_io.BytesIO object at 0x7f311a4b20e0>

**Exception Location:** /home/olegst/sites/adm/.venv/lib/python3.9/site-packages/PIL/Image.py, line 3280, in open

**Raised during:** property.views.pdf\_es\_page

**Python Executable:** /home/olegst/sites/adm/.venv/bin/python3

**Python Version:** 3.9.2

**Python Path:** ['/home/olegst/sites/adm',  
'/home/olegst/sites/adm/.venv/bin',  
'/usr/lib/python39.zip',  
'/usr/lib/python3.9',  
'/usr/lib/python3.9/lib-dynload',  
'/home/olegst/sites/adm/.venv/lib/python3.9/site-packages']

**Server time:** Thu, 14 Nov 2024 11:51:25 +0300

## Traceback [Switch to copy-and-paste view](#)

/home/olegst/sites/adm/.venv/lib/python3.9/site-packages/django/core/handlers/exception.py, line 55, in inner

```
55.         response = get_response(request) ...
```

▶ Local vars

/home/olegst/sites/adm/.venv/lib/python3.9/site-packages/django/core/handlers/base.py, line 197, in \_get\_response

```
197.         response = wrapped_callback(request, *callback_args, **callback_kwargs) ...
```

▶ Local vars

/home/olegst/sites/adm/property/views.py, line 223, in pdf\_es\_page

```
223.         img = Image.open(response) ...
```

▶ Local vars

/home/olegst/sites/adm/.venv/lib/python3.9/site-packages/PIL/Image.py, line 3280, in open

```
3280.         raise UnidentifiedImageError(msg) ...
```

▶ Local vars

## Request information

**USER** AnonymousUser

**GET** No GET data

**POST** No POST data

**FILES** No FILES data

**COOKIES** No cookie data

### META

Variable	Value
HTTP_ACCEPT	'text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8'
HTTP_ACCEPT_ENCODING	'gzip'
HTTP_ACCEPT_LANGUAGE	'en-US,*'
HTTP_CONNECTION	'close'
HTTP_HOST	'167.235.8.59:8010'
HTTP_USER_AGENT	('Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/534.34 (KHTML, like Gecko) 'wkhtmltopdf Safari/534.34')
PATH_INFO	'/property/pdf-es/7012'
QUERY_STRING	''
RAW_URI	'/property/pdf-es/7012'
REMOTE_ADDR	'167.235.8.59'
REMOTE_PORT	'55374'
REQUEST_METHOD	'GET'

Variable	Value
SCRIPT_NAME	''
SERVER_NAME	'167.235.8.59'
SERVER_PORT	'8010'
SERVER_PROTOCOL	'HTTP/1.0'
SERVER_SOFTWARE	'gunicorn/21.2.0'
gunicorn.socket	<socket.socket fd=8, family=AddressFamily.AF_INET, type=SocketKind.SOCK_STREAM, proto=0, laddr=('167.235.8.59', 8010), raddr=('167.235.8.59', 55374)>
wsgi.errors	<gunicorn.http.wsgi.WSGIErrorsWrapper object at 0x7f311a3432b0>
wsgi.file_wrapper	<class 'gunicorn.http.wsgi.FileWrapper'>
wsgi.input	<gunicorn.http.body.Body object at 0x7f311a3430a0>
wsgi.input_terminated	True
wsgi.multiprocess	True
wsgi.multithread	False
wsgi.run_once	False
wsgi.url_scheme	'http'
wsgi.version	(1, 0)

## Settings

Using settings module config.settings

Setting	Value
ABSOLUTE_URL_OVERRIDES	{}
ADMINS	[]
ALLOWED_HOSTS	['167.235.8.59', 'adm.granfield-estate.com']
APPEND_SLASH	True
AUTHENTICATION_BACKENDS	['django.contrib.auth.backends.ModelBackend']
AUTH_PASSWORD_VALIDATORS	*****
AUTH_USER_MODEL	'auth.User'
BASE_DIR	PosixPath('/home/olegst/sites/adm')
CACHES	{'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
CACHE_MIDDLEWARE_ALIAS	'default'
CACHE_MIDDLEWARE_KEY_PREFIX	*****
CACHE_MIDDLEWARE_SECONDS	600
CSRF_COOKIE_AGE	31449600
CSRF_COOKIE_DOMAIN	None
CSRF_COOKIE_HTTPONLY	False
CSRF_COOKIE_MASKED	False
CSRF_COOKIE_NAME	'csrftoken'
CSRF_COOKIE_PATH	'/'
CSRF_COOKIE_SAMESITE	'Lax'
CSRF_COOKIE_SECURE	False
CSRF_FAILURE_VIEW	'django.views.csrf.csrf_failure'
CSRF_HEADER_NAME	'HTTP_X_CSRFTOKEN'
CSRF_TRUSTED_ORIGINS	['https://adm.granfield-estate.com']
CSRF_USE_SESSIONS	False
DATABASES	{'default': {'ATOMIC_REQUESTS': False, 'AUTOCOMMIT': True, 'CONN_HEALTH_CHECKS': False, 'CONN_MAX_AGE': 0, 'ENGINE': 'django.db.backends.postgresql', 'HOST': 'localhost', 'NAME': 'granfield_db16', 'OPTIONS': {}, 'PASSWORD': '*****', 'PORT': '', 'TEST': {'CHARSET': None, 'COLLATION': None, 'MIGRATE': True, 'MIRROR': None, 'NAME': None}, 'TIME_ZONE': None, 'USER': 'granfieldus12'}}
DATABASE_ROUTERS	[]
DATA_UPLOAD_MAX_MEMORY_SIZE	2621440
DATA_UPLOAD_MAX_NUMBER_FIELDS	1000
DATA_UPLOAD_MAX_NUMBER_FILES	100
DATETIME_FORMAT	'N j, Y, P'

Setting	Value
DATETIME_INPUT_FORMATS	['%Y-%m-%d %H:%M:%S', '%Y-%m-%d %H:%M:%S.%f', '%Y-%m-%d %H:%M', '%m/%d/%Y %H:%M:%S', '%m/%d/%Y %H:%M:%S.%f', '%m/%d/%Y %H:%M', '%m/%d/%y %H:%M:%S', '%m/%d/%y %H:%M:%S.%f', '%m/%d/%y %H:%M']
DATE_FORMAT	'N j, Y'
DATE_INPUT_FORMATS	['%Y-%m-%d', '%m/%d/%Y', '%m/%d/%y', '%b %d %Y', '%b %d, %Y', '%d %b %Y', '%d %b, %Y', '%B %d %Y', '%B %d, %Y', '%d %B %Y', '%d %B, %Y']
DEBUG	True
DEBUG_PROPAGATE_EXCEPTIONS	False
DECIMAL_SEPARATOR	'.'
DEFAULT_AUTO_FIELD	'django.db.models.BigAutoField'
DEFAULT_CHARSET	'utf-8'
DEFAULT_EXCEPTION_REPORTER	'django.views.debug.ExceptionReporter'
DEFAULT_EXCEPTION_REPORTER_FILTER	'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FILE_STORAGE	'django.core.files.storage.FileSystemStorage'
DEFAULT_FROM_EMAIL	'webmaster@localhost'
DEFAULT_INDEX_TABLESPACE	''
DEFAULT_TABLESPACE	''
DISALLOWED_USER_AGENTS	[]
EMAIL_BACKEND	'django.core.mail.backends.smtp.EmailBackend'
EMAIL_HOST	'localhost'
EMAIL_HOST_PASSWORD	'*****'
EMAIL_HOST_USER	''
EMAIL_PORT	25
EMAIL_SSL_CERTFILE	None
EMAIL_SSL_KEYFILE	'*****'
EMAIL_SUBJECT_PREFIX	'[Django] '
EMAIL_TIMEOUT	None
EMAIL_USE_LOCALTIME	False
EMAIL_USE_SSL	False
EMAIL_USE_TLS	False
FILE_UPLOAD_DIRECTORY_PERMISSIONS	None
FILE_UPLOAD_HANDLERS	['django.core.files.uploadhandler.MemoryFileUploadHandler', 'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE_UPLOAD_MAX_MEMORY_SIZE	2621440
FILE_UPLOAD_PERMISSIONS	420
FILE_UPLOAD_TEMP_DIR	None
FIRST_DAY_OF_WEEK	0
FIXTURE_DIRS	[]
FORCE_SCRIPT_NAME	None
FORMAT_MODULE_PATH	None
FORM_RENDERER	'django.forms.renderers.DjangoTemplates'
IGNORABLE_404_URLS	[]
INSTALLED_APPS	['property', 'django.contrib.admin', 'django.contrib.auth', 'django.contrib.contenttypes', 'django.contrib.sessions', 'django.contrib.messages', 'django.contrib.staticfiles', 'mptt', 'main', 'mailing', 'clients', 'portals', 'fotocasa']
INTERNAL_IPS	[]
LANGUAGES	[('af', 'Afrikaans'), ('ar', 'Arabic'), ('ar-dz', 'Algerian Arabic'), ('ast', 'Asturian'),

Setting	Value
	('az', 'Azerbaijani'), ('bg', 'Bulgarian'), ('be', 'Belarusian'), ('bn', 'Bengali'), ('br', 'Breton'), ('bs', 'Bosnian'), ('ca', 'Catalan'), ('ckb', 'Central Kurdish (Sorani)'), ('cs', 'Czech'), ('cy', 'Welsh'), ('da', 'Danish'), ('de', 'German'), ('dsb', 'Lower Sorbian'), ('el', 'Greek'), ('en', 'English'), ('en-au', 'Australian English'), ('en-gb', 'British English'), ('eo', 'Esperanto'), ('es', 'Spanish'), ('es-ar', 'Argentinian Spanish'), ('es-co', 'Colombian Spanish'), ('es-mx', 'Mexican Spanish'), ('es-ni', 'Nicaraguan Spanish'), ('es-ve', 'Venezuelan Spanish'), ('et', 'Estonian'), ('eu', 'Basque'), ('fa', 'Persian'), ('fi', 'Finnish'), ('fr', 'French'), ('fy', 'Frisian'), ('ga', 'Irish'), ('gd', 'Scottish Gaelic'), ('gl', 'Galician'), ('he', 'Hebrew'), ('hi', 'Hindi'), ('hr', 'Croatian'), ('hsb', 'Upper Sorbian'), ('hu', 'Hungarian'), ('hy', 'Armenian'), ('ia', 'Interlingua'), ('id', 'Indonesian'), ('ig', 'Igbo'), ('io', 'Ido'), ('is', 'Icelandic'), ('it', 'Italian'), ('ja', 'Japanese'), ('ka', 'Georgian'), ('kab', 'Kabyle'), ('kk', 'Kazakh'), ('km', 'Khmer'), ('kn', 'Kannada'), ('ko', 'Korean'), ('ky', 'Kyrgyz'), ('lb', 'Luxembourgish'), ('lt', 'Lithuanian'), ('lv', 'Latvian'), ('mk', 'Macedonian'), ('ml', 'Malayalam'), ('mn', 'Mongolian'), ('mr', 'Marathi'), ('ms', 'Malay'), ('my', 'Burmese'), ('nb', 'Norwegian Bokmål'), ('ne', 'Nepali'), ('nl', 'Dutch'), ('nn', 'Norwegian Nynorsk'), ('os', 'Ossetic'), ('pa', 'Punjabi'), ('pl', 'Polish'), ('pt', 'Portuguese'), ('pt-br', 'Brazilian Portuguese'), ('ro', 'Romanian'), ('ru', 'Russian'), ('sk', 'Slovak'), ('sl', 'Slovenian'), ('sq', 'Albanian'), ('sr', 'Serbian'), ('sr-latn', 'Serbian Latin'), ('sv', 'Swedish'), ('sw', 'Swahili'), ('ta', 'Tamil'), ('te', 'Telugu'), ('tg', 'Tajik'), ('th', 'Thai'), ('tk', 'Turkmen'), ('tr', 'Turkish'), ('tt', 'Tatar'),

Setting	( <code>'en', 'Udmurt'</code> ), ( <code>'uk', 'Ukrainian'</code> ), ( <code>'ur', 'Urdu'</code> ), ( <code>'uz', 'Uzbek'</code> ), ( <code>'vi', 'Vietnamese'</code> ), ( <code>'zh-hans', 'Simplified Chinese'</code> ), ( <code>'zh-hant', 'Traditional Chinese'</code> ))
LANGUAGES_BIDI	[ <code>'he', 'ar', 'ar-dz', 'ckb', 'fa', 'ur'</code> ]
LANGUAGE_CODE	<code>'ru-Ru'</code>
LANGUAGE_COOKIE_AGE	None
LANGUAGE_COOKIE_DOMAIN	None
LANGUAGE_COOKIE_HTTPONLY	False
LANGUAGE_COOKIE_NAME	<code>'django_language'</code>
LANGUAGE_COOKIE_PATH	<code>'/'</code>
LANGUAGE_COOKIE_SAMESITE	None
LANGUAGE_COOKIE_SECURE	False
LOCALE_PATHS	[ <code>''</code> ]
LOGGING	<code>{}</code>
LOGGING_CONFIG	<code>'logging.config.dictConfig'</code>
LOGIN_REDIRECT_URL	<code>'/property/all-property'</code>
LOGIN_URL	<code>'login'</code>
LOGOUT_REDIRECT_URL	None
MANAGERS	[ <code>''</code> ]
MEDIA_ROOT	<code>'/home/olegst/sites/adm/media'</code>
MEDIA_URL	<code>'/media/'</code>
MESSAGE_STORAGE	<code>'django.contrib.messages.storage.fallback.FallbackStorage'</code>
MIDDLEWARE	[ <code>'django.middleware.security.SecurityMiddleware', 'django.contrib.sessions.middleware.SessionMiddleware', 'django.middleware.common.CommonMiddleware', 'django.middleware.csrf.CsrfViewMiddleware', 'django.contrib.auth.middleware.AuthenticationMiddleware', 'django.contrib.messages.middleware.MessageMiddleware', 'django.middleware.clickjacking.XFrameOptionsMiddleware'</code> ]
MIGRATION_MODULES	<code>{}</code>
MONTH_DAY_FORMAT	<code>'F j'</code>
NUMBER_GROUPING	0
PASSWORD_HASHERS	<code>'*****'</code>
PASSWORD_RESET_TIMEOUT	<code>'*****'</code>
PREPEND_WWW	False
ROOT_URLCONF	<code>'config.urls'</code>
SECRET_KEY	<code>'*****'</code>
SECRET_KEY_FALLBACKS	<code>'*****'</code>
SECURE_CONTENT_TYPE_NOSNIFF	True
SECURE_CROSS_ORIGIN_OPENER_POLICY	<code>'same-origin'</code>
SECURE_HSTS_INCLUDE_SUBDOMAINS	False
SECURE_HSTS_PRELOAD	False
SECURE_HSTS_SECONDS	0
SECURE_PROXY_SSL_HEADER	None
SECURE_REDIRECT_EXEMPT	[ <code>''</code> ]
SECURE_REFERRER_POLICY	<code>'same-origin'</code>
SECURE_SSL_HOST	None
SECURE_SSL_REDIRECT	False
SERVER_EMAIL	<code>'root@localhost'</code>
SESSION_CACHE_ALIAS	<code>'default'</code>
SESSION_COOKIE_AGE	1209600
SESSION_COOKIE_DOMAIN	None
SESSION_COOKIE_HTTPONLY	True
SESSION_COOKIE_NAME	<code>'sessionid'</code>
SESSION_COOKIE_PATH	<code>'/'</code>
SESSION_COOKIE_SAMESITE	<code>'Lax'</code>
SESSION_COOKIE_SECURE	False
SESSION_ENGINE	<code>'django.contrib.sessions.backends.db'</code>
SESSION_EXPIRE_AT_BROWSER_CLOSE	False
SESSION_FILE_PATH	None
SESSION_SAVE_EVERY_REQUEST	False
SESSION_SERIALIZER	<code>'django.contrib.sessions.serializers.JSONSerializer'</code>
SETTINGS_MODULE	<code>'config.settings'</code>
SHORT_DATETIME_FORMAT	<code>'m/d/Y P'</code>
SHORT_DATE_FORMAT	<code>'m/d/Y'</code>
SIGNING_BACKEND	<code>'django.core.signing.TimestampSigner'</code>
SILENCED_SYSTEM_CHECKS	[ <code>''</code> ]

Setting	Value
STATICFILES_DIRS	[]
STATICFILES_FINDERS	['django.contrib.staticfiles.finders.FileSystemFinder', 'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES_STORAGE	'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC_ROOT	'/home/olegst/sites/adm/static'
STATIC_URL	'/static/'
STORAGES	{'default': {'BACKEND': 'django.core.files.storage.FileSystemStorage'}, 'staticfiles': {'BACKEND': 'django.contrib.staticfiles.storage.StaticFilesStorage'}}
TEMPLATES	[{'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': ['/home/olegst/sites/adm/templates'], 'OPTIONS': {'context_processors': ['django.template.context_processors.debug', 'django.template.context_processors.request', 'django.contrib.auth.context_processors.auth', 'django.contrib.messages.context_processors.messages']}}]
TEST_NON_SERIALIZED_APPS	[]
TEST_RUNNER	'django.test.runner.DiscoverRunner'
THOUSAND_SEPARATOR	','
TIME_FORMAT	'P'
TIME_INPUT_FORMATS	['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME_ZONE	'Europe/Moscow'
USE_DEPRECATED_PYTZ	False
USE_I18N	True
USE_L10N	True
USE_THOUSAND_SEPARATOR	False
USE_TZ	True
USE_X_FORWARDED_HOST	False
USE_X_FORWARDED_PORT	False
WSGI_APPLICATION	'config.wsgi.application'
X_FRAME_OPTIONS	'DENY'
YEAR_MONTH_FORMAT	'F Y'

You're seeing this error because you have `DEBUG = True` in your Django settings file. Change that to `False`, and Django will display a standard page generated by the handler for this status code.